

# **ORF307 – Optimization**

## **18. Interior-point methods II**

# Ed Forum

- **2nd Midterm: April 16**

Time: 11:00am — 12:20pm

Students with extensions please reach out to me

Location: Same room as lecture

Topics: linear optimization

Material allowed: Single sheet of paper. Double sided. Hand-written or typed.

**Exercises to prepare: past midterm + extra exercises on canvas**

- **Questions**

- Can you go over again logarithmic barrier functions?

**Recap**

# (Sparse) Cholesky factorization

Every positive definite matrix  $A$  can be factored as

$$A = PLL^T P^T \longrightarrow P^T AP = LL^T$$

$P$  permutation,  $L$  lower triangular

## Permutations

- Reorder rows/cols of  $A$  with  $P$  to (heuristically) get **sparser**  $L$
- $P$  depends only on sparsity pattern of  $A$  (unlike  $LU$  factorization)
- If  $A$  is dense, we can set  $P = I$

## Cost

- If  $A$  dense, typically  $O(n^3)$  but usually much less
- It depends on the number of nonzeros in  $A$ , sparsity pattern, etc.
- Typically 50% faster than  $LU$  (need to find only one matrix)

# Linear optimization as a root finding problem

## Optimality conditions

		<b>Primal</b>	<b>Dual</b>		
minimize	$c^T x$	minimize	$c^T x$	maximize	$-b^T y$
subject to	$Ax \leq b$	subject to	$Ax + s = b$	subject to	$A^T y + c = 0$
			$s \geq 0$		$y \geq 0$

### KKT conditions

$$Ax + s - b = 0$$

$$A^T y + c = 0$$

$$s_i y_i = 0, \quad i = 1, \dots, m$$

$$s, y \geq 0$$

# Linear optimization as a root finding problem

$$Ax + s - b = 0$$

$$A^T y + c = 0$$

$$s_i y_i = 0, \quad i = 1, \dots, m$$

$$s, y \geq 0$$

**Diagonalize complementary slackness**

$$S = \text{diag}(s) = \begin{bmatrix} s_1 & & & \\ & s_2 & & \\ & & \ddots & \\ & & & s_m \end{bmatrix}$$

$$Y = \text{diag}(y) = \begin{bmatrix} y_1 & & & \\ & y_2 & & \\ & & \ddots & \\ & & & y_m \end{bmatrix}$$

$$SY\mathbf{1} = \text{diag}(s)\text{diag}(y)\mathbf{1} = \begin{bmatrix} s_1 y_1 & & & \\ & s_2 y_2 & & \\ & & \ddots & \\ & & & s_m y_m \end{bmatrix} \begin{bmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{bmatrix} = \begin{bmatrix} s_1 y_1 \\ s_2 y_2 \\ \vdots \\ s_m y_m \end{bmatrix}$$

$$s_i y_i = 0, \quad i = 1, \dots, m \quad \iff \quad SY\mathbf{1} = 0$$

# Main idea

## Optimality conditions

$$h(y, x, s) = \begin{bmatrix} Ax + s - b \\ A^T y + c \\ SY\mathbf{1} \end{bmatrix} = \begin{bmatrix} r_p \\ r_d \\ SY\mathbf{1} \end{bmatrix} = 0 \quad \begin{array}{l} S = \mathbf{diag}(s) \\ Y = \mathbf{diag}(y) \end{array}$$

$s, y \geq 0$

- Apply variants of Newton's method to solve  $h(x, s, y) = 0$
- Enforce  $s, y > 0$  (strictly) at every iteration
- **Motivation** avoid getting stuck in “corners”

# Smoothed optimality conditions

## Optimality conditions

$$Ax + s - b = 0$$

$$A^T y + c = 0$$

$$s_i y_i = \tau \longleftarrow \text{Same } \tau \text{ for every pair}$$

$$s, y \geq 0$$

Same optimality conditions for a “smoothed” version of our problem

## Duality gap

$$s^T y = (b - Ax)^T y = b^T x - x^T A^T y = b^T y + c^T x$$

# Smoothed problem

$$\begin{array}{ll} \text{minimize} & c^T x \\ \text{subject to} & Ax + s = b \\ & s \geq 0 \end{array} \longrightarrow \begin{array}{ll} \text{minimize} & c^T x + \phi(s) = c^T x - \tau \sum_{i=1}^m \log(s_i) \\ \text{subject to} & Ax + s = b \end{array}$$

## Lagrangian function


$$L(x, s, y) = c^T x - \tau \sum_{i=1}^m \log(s_i) + y^T (Ax + s - b)$$

$$\frac{\partial L}{\partial x} = A^T y + c = 0$$

$$\frac{\partial L}{\partial s_i} = -\tau \frac{1}{s_i} + y_i = 0 \quad \implies s_i y_i = \tau$$

# Logarithmic barrier

$$\phi(s) = -\tau \sum_{i=1}^m \log(s_i) \quad \text{on domain} \quad s_i > 0$$



As  $\tau \rightarrow 0$  it approximates

$$\mathcal{I}_{s_i \geq 0} = \begin{cases} 0 & \text{if } s_i \geq 0 \\ \infty & \text{otherwise} \end{cases}$$

# Central path

$$\begin{aligned} &\text{minimize} && c^T x - \tau \sum_{i=1}^m \log(s_i) \\ &\text{subject to} && Ax + s = b \end{aligned}$$

Set of points  $(x^*(\tau), s^*(\tau), y^*(\tau))$   
with  $\tau > 0$  such that


$$Ax + s - b = 0$$

$$A^T y + c = 0$$

$$s_i y_i = \tau$$

$$s, y \geq 0$$

**Analytic  
Center**  
 $\tau \rightarrow \infty$



**Main idea**

Follow central path as  $\tau \rightarrow 0$

# The path parameter

## Duality measure

$$\mu = \frac{s^T y}{m} \quad (\text{average value of the pairs } s_i y_i)$$

## Linear system

$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \\ \Delta s \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} + \sigma\mu\mathbf{1} \end{bmatrix}$$

## Centering parameter

$$\sigma \in [0, 1]$$


$\sigma = 0 \Rightarrow$  Newton step

$\sigma = 1 \Rightarrow$  Centering step towards  $(y^*(\mu), x^*(\mu), s^*(\mu))$

**Line search** to enforce  $s, y > 0$

$$(y, x, s) \leftarrow (y, x, s) + \alpha(\Delta y, \Delta x, \Delta s)$$

# Path-following algorithm idea



## Centering step

It brings towards the **central path** and is usually biased towards  $s, y > 0$ .  
**No progress** on duality measure  $\mu$


## Newton step

It brings towards the **zero duality measure**  $\mu$ . Quickly violates  $s, y > 0$ .

## Combined step

Best of both worlds with longer steps

# Path-following algorithm idea



## Centering step

It brings towards the **central path** and is usually biased towards  $s, y > 0$ .  
**No progress** on duality measure  $\mu$

## Newton step

It brings towards the **zero duality measure**  $\mu$ . Quickly violates  $s, y > 0$ .

## Combined step

Best of both worlds with longer steps

# Primal-dual path-following algorithm

## Initialization

1. Given  $(x_0, s_0, y_0)$  such that  $s_0, y_0 > 0$

## Iterations

1. Choose  $\sigma \in [0, 1]$

2. Solve 
$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \\ \Delta s \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} + \sigma\mu\mathbf{1} \end{bmatrix} \text{ where } \mu = s^T y / m$$

3. Find maximum  $\alpha$  such that  $y + \alpha\Delta y > 0$  and  $s + \alpha\Delta s > 0$

4. Update  $(y, x, s) \leftarrow (y, x, s) + \alpha(\Delta y, \Delta x, \Delta s)$

# Today's lecture


## Interior-point methods II

- Mehrotra predictor-corrector algorithm
- Implementation and linear algebra
- Interior-point vs simplex

# Predictor-corrector algorithm

# Main idea

## Predict and select centering parameter



### Predict

Compute Newton direction

### Estimate

**How good** is the Newton step?  
(how much can  $\mu$  decrease?)

### Select centering parameter

Very roughly:

Pick  $\sigma \approx 0$  if Newton step is good

Pick  $\sigma \approx 1$  if Newton step is bad

# How good is the Newton step?

## Newton step

$$(\Delta x_a, \Delta s_a, \Delta y_a)$$

## Maximum step-size

$$\alpha_p = \max\{\alpha \in [0, 1] \mid s + \alpha \Delta s_a \geq 0\}$$

$$\alpha_d = \max\{\alpha \in [0, 1] \mid y + \alpha \Delta y_a \geq 0\}$$

## Two issues

- The new points will not produce much improvement:  
 $(s + \alpha_p \Delta s_a)_i (y + \alpha_d \Delta y_a)_i$  much larger than 0
- The complementarity error depends on step lengths  $\alpha_p$  and  $\alpha_d$

# Choosing a centering parameter to make good improvement

## Newton step

$$(\Delta x_a, \Delta s_a, \Delta y_a)$$

## Maximum step-size

$$\alpha_p = \max\{\alpha \in [0, 1] \mid s + \alpha \Delta s_a \geq 0\}$$

$$\alpha_d = \max\{\alpha \in [0, 1] \mid y + \alpha \Delta y_a \geq 0\}$$

**Duality measure candidate**  
(after Newton step)

$$\mu_a = \frac{(s + \alpha_p \Delta s_a)^T (y + \alpha_d \Delta y_a)}{m}$$

**Centering parameter heuristic  $\sigma$**

$$\sigma = \left( \frac{\mu_a}{\mu} \right)^3$$

# Correcting for complementary error

## Newton step

$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y_a \\ \Delta x_a \\ \Delta s_a \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} \end{bmatrix} \longrightarrow s_i(\Delta y_a)_i + y_i(\Delta s_a)_i + s_i y_i = 0$$

## Complementarity error

$$(s_i + (\Delta s_a)_i)(y_i + (\Delta y_a)_i) = (\Delta s_a)_i(\Delta y_a)_i \neq 0$$

Complementarity violation  
*depends on step length*

## Corrected direction

$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \\ \Delta s \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} - \Delta S_a \Delta Y_a \mathbf{1} + \sigma \mu \mathbf{1} \end{bmatrix}$$

$$\Delta S_a = \text{diag}(\Delta s_a)$$

$$\Delta Y_a = \text{diag}(\Delta y_a)$$

# Mehrotra predictor-corrector algorithm

## Initialization

Given  $(x, s, y)$  such that  $s, y > 0$

### 1. Termination conditions

$$r_p = Ax + s - b, \quad r_d = A^T y + c, \quad \mu = (s^T y)/m$$

If  $\|r_p\|, \|r_d\|, \mu$  are small, **break** Optimal solution  $(x^*, s^*, y^*)$

### 2. Newton step (affine scaling)

$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y_a \\ \Delta x_a \\ \Delta s_a \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} \end{bmatrix}$$

# Mehrotra predictor-corrector algorithm

## 3. Barrier parameter

$$\alpha_p = \max\{\alpha \in [0, 1] \mid s + \alpha\Delta s_a \geq 0\}$$

$$\alpha_d = \max\{\alpha \in [0, 1] \mid y + \alpha\Delta y_a \geq 0\}$$

$$\mu_a = \frac{(s + \alpha_p\Delta s_a)^T (y + \alpha_d\Delta y_a)}{m}$$

$$\sigma = \left(\frac{\mu_a}{\mu}\right)^3$$

## 4. Corrected direction

$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \\ \Delta s \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} - \Delta S_a\Delta Y_a\mathbf{1} + \sigma\mu\mathbf{1} \end{bmatrix}$$

# Mehrotra predictor-corrector algorithm

## 5. Update iterates

$$\alpha_p = \max\{\alpha \geq 0 \mid s + \alpha\Delta s \geq 0\}$$

$$\alpha_d = \max\{\alpha \geq 0 \mid y + \alpha\Delta y \geq 0\}$$

$$(x, s) = (x, s) + \min\{1, \eta\alpha_p\}(\Delta x, \Delta s)$$

$$y = y + \min\{1, \eta\alpha_d\}\Delta y$$

**Avoid corners**

$$\eta = 1 - \epsilon \approx 0.99$$

# Implementation and linear algebra

# Search equations

Step 2 (**Newton**) and 4 (**Corrected direction**) solve equations of the form

$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \\ \Delta s \end{bmatrix} = \begin{bmatrix} b_y \\ b_x \\ b_s \end{bmatrix}$$

The **Newton** step right hand side:

$$\begin{bmatrix} b_y \\ b_x \\ b_s \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} \end{bmatrix}$$

The **corrector** step right hand side:

$$\begin{bmatrix} b_y \\ b_x \\ b_s \end{bmatrix} = \begin{bmatrix} -r_p \\ -r_d \\ -SY\mathbf{1} - \Delta S_a \Delta Y_a \mathbf{1} + \sigma \mu \mathbf{1} \end{bmatrix}$$

# Solving the search equations

Our linear system is not symmetric

$$\begin{bmatrix} 0 & A & I \\ A^T & 0 & 0 \\ S & 0 & Y \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \\ \Delta s \end{bmatrix} = \begin{bmatrix} b_y \\ b_x \\ b_s \end{bmatrix}$$

Substitute last equation,  $\Delta s = Y^{-1}(b_s - S\Delta y)$ , into first

$$\begin{bmatrix} -Y^{-1}S & A \\ A^T & 0 \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \end{bmatrix} = \begin{bmatrix} b_y - Y^{-1}b_s \\ b_x \end{bmatrix}$$

# Solving the search equations

Our reduced system is symmetric but not positive definite

$$\begin{bmatrix} -Y^{-1}S & A \\ A^T & 0 \end{bmatrix} \begin{bmatrix} \Delta y \\ \Delta x \end{bmatrix} = \begin{bmatrix} b_y - Y^{-1}b_s \\ b_x \end{bmatrix}$$

Substitute first equation,  $\Delta y = S^{-1}Y(A\Delta x - b_y + Y^{-1}b_s)$ , into second

$$A^T S^{-1} Y A \Delta x = b_x + A^T S^{-1} Y b_y - A^T S^{-1} b_s$$

# Reduced linear system

## Coefficient matrix

$$B = A^T S^{-1} Y A$$

## Characteristics

- $A$  is **large** and **sparse**
- $S^{-1}Y$  is **positive** and **diagonal**, different at each iteration
- $B$  is **positive definite** if  $\text{rank}(A) = n$
- Sparsity pattern of  $B$  is the **pattern** of  $A^T A$  (independent of  $S^{-1}Y$ )

# Reduced linear system

## Coefficient matrix

$$B = A^T S^{-1} Y A$$

## Cholesky factorizations

$$B = P L L^T P^T$$

- Reordering only once to get  $P$
  - One numerical factorization per interior-point iteration  $O(n^3)$
  - Forward/backward substitution twice per iteration  $O(n^2)$
- Per-iteration complexity**  
 $O(n^3)$

# Convergence

## Mehrotra's algorithm

No convergence theory  $\longrightarrow$  Examples where it **diverges** (rare!)

Fantastic convergence **in practice**  $\longrightarrow$  Less than 30 iterations

### Theoretical iteration complexity

Alternative versions (slower than Mehrotra) converge in  $O(\sqrt{n})$  iterations



### Floating point operations

$$O(n^{3.5})$$

### Average iteration complexity


Average iterations complexity is  $O(\log n)$



$$O(n^3 \log n)$$

# Warm-starting

Interior-point methods are **difficult to warm-start**



**Badly centered**  
initial point




**Hard to make progress**  
with long steps

# Interior-point vs simplex

# Example

$$\begin{aligned} &\text{minimize} && -10x_1 - 12x_2 - 12x_3 \\ &\text{subject to} && x_1 + 2x_2 + 2x_3 \leq 20 \\ &&& 2x_1 + x_2 + x_3 \leq 20 \\ &&& 2x_1 + 2x_2 + x_3 \leq 20 \\ &&& x_1, x_2, x_3 \geq 0 \end{aligned}$$



$$\begin{aligned} &\text{minimize} && c^T x \\ &\text{subject to} && Ax \leq b \\ &&& x \geq 0 \end{aligned}$$

$$c = (-10, -12, -12)$$

$$A = \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix}$$

$$b = (20, 20, 20)$$

# Example with real solver

## CVXOPT (open-source)

### Code

```
import numpy as np
import cvxpy as cp

c = np.array([-10, -12, -12])
A = np.array([[1, 2, 2],
              [2, 1, 2],
              [2, 2, 1]])
b = np.array([20, 20, 20])
n = len(c)

x = cp.Variable(n)
problem = cp.Problem(cp.Minimize(c @ x),
                    [A @ x <= b, x >= 0])
problem.solve(solver=cp.CVXOPT, verbose=True)
```

### Output

```
      pcost      dcost      gap      pres      dres      k/t
0: -1.3077e+02 -2.3692e+02 2e+01 1e-16 6e-01 1e+00
1: -1.3522e+02 -1.4089e+02 1e+00 2e-16 3e-02 4e-02
2: -1.3599e+02 -1.3605e+02 1e-02 2e-16 3e-04 4e-04
3: -1.3600e+02 -1.3600e+02 1e-04 1e-16 3e-06 4e-06
4: -1.3600e+02 -1.3600e+02 1e-06 1e-16 3e-08 4e-08
Optimal solution found.
```

### Solution

```
In [3]: x.value
Out[3]: array([3.99999999, 4.          , 4.          ])
```

# Average interior-point complexity

Random LPs


minimize  $c^T x$

$n$  variables


subject to  $Ax \leq b$

$3n$  constraints

**Iterations:**  $O(\log n)$



**Time:**  $O(n^3 \log n)$



# Comparison between interior-point method and simplex

## Primal simplex

- Primal feasibility
- Zero duality gap



Dual feasibility

## Dual simplex

- Dual feasibility
- Zero duality gap



Primal feasibility

## Primal-dual interior-point

- Interior condition



- Primal feasibility
- Dual feasibility
- Zero duality gap

**Exponential worst-case complexity**

**Requires feasible point**

**Can be warm-started**

**Polynomial worst-case complexity**

**Allows infeasible start**

**Cannot be warm-started**

# Which algorithm should I use?

## Dual simplex

- Small-to-medium problems
- Repeated solves with varying data

## Interior-point (barrier)

- Medium-to-large problems
- Sparse structured problems

**How do solvers with multiple options decide?**

Concurrent Optimization

**Why not both?** (crossover)

Interior-point → Few simplex steps

# Interior-point methods implementation

Today, we learned to:

- **Apply** Mehrotra predictor-corrector algorithm
- **Exploit** linear algebra to speedup computations
- **Analyze** empirical complexity
- **Compare** interior-point and simplex methods

# References

- D. Bertsimas and J. Tsitsiklis: Introduction to Linear Optimization
  - Chapter 9.4 — 9.6: Interior point methods
- R. Vanderbei: Linear Programming
  - Chapter 17: The Central Path
  - Chapter 15: A Path-Following Method

# Next lecture

- Overview for linear optimization